

DuraDeck



LET
LITTLE GUY OILFIELD RENTALS
PROTECT YOUR TURF AND
PROVIDE ACCESS NEARLY ANYWHERE

PROTECTIVE MATTING SYSTEMS

TEMPORARY FLOORING

PORTABLE ACCESS ROADWAYS

TOLL FREE 877-762-8489 DIRECT 780-980-1166 FAX 780-980-2244

www.littleguyrentals.com

what is

duradeck?



For the past six years Little Guy Oilfield Rentals has been supplying our customers with heavy duty Interlocking Access Mats and Rig Matting. We have supplied matting to our customers for just about every type of application imaginable from roads over marsh and muskeg to matting used over creeks and rivers.

But the one thing we were missing in our arsenal of matting was a light weight mat that could be used on jobs where our heavy duty interlocking access matting and rig matting was just more than some customers needed. Thus we have taken on a new line of light weight matting made of recycled plastic called DuraDeck®. We are very excited to be carrying this new line of matting as we see endless uses for the DuraDeck® matting. The DuraDeck® matting is available to rent or purchase.

These new light weight mats can be easily hauled in the back of a pickup truck or on a pull trailer thus reducing the cost of the trucking substantially. The DuraDeck® mats weigh 86 lbs. each and can easily be handled by two people. Installation is fast and large areas can be installed over a short period of time with little effort. There will always be an application for our heavy duty Interlocking Access Matting Systems and our Rig Mats but now we have an ideal solution for customers that don't always need the heavy duty matting.

The DuraDeck® matting has proven itself time and time again and Little Guy Oilfield Rentals Inc. is proud to carry this innovative line of matting to help our existing customers and new customers with their soft site solutions but at a fraction of the cost of steel framed matting.

DuraDeck® access mats both protect your expensive turf and provide access and traction over sand, mud, and other difficult surfaces. DuraDeck access mats may be used to create temporary roadways for vehicles, trucks, and equipment or large work pads for drilling, administrative compounds, bone yards, temporary flooring, and other industrial applications.

DuraDeck is a unique molded plastic mat that is durable, lightweight, and extremely strong. Sections are engineered to provide ground protection and access over soft surfaces and will provide a firm support base and traction for numerous activities. DuraDeck sections can be carried by 1-2 persons and positioned easily as required on a job site. No tools are required for installation or removal.

Use DuraDeck to get heavy work equipment into a job site, while protecting the ground and your turf. DuraDeck virtually eliminates rutting, soil compaction, and other damage to sensitive grass and turf. It has been used to provide access for trailers up to 80 tons, over grassy fields and other soft surfaces. Traverse equipment easily over sand, mud, snow and grass surfaces, even on gently sloping areas. DuraDeck also protects the equipment from undue wear – greatly reducing wear on drivelines and frames that are oftentimes stressed when operating on unstable and harsh ground conditions. You'll save on labor costs and increase worker safety by not having workers struggle with vehicles and equipment bogged down in mud or unstable ground conditions.

Little Guy Oilfield Rentals Inc. offers two unique and proven tread patterns – a superior traction surface for industrial applications, and a pedestrian-friendly tread pattern.





RECYCLED CONTENT EXCEEDS 90%

DURADECK MATS ARE IDEAL FOR:

**PARKS • UTILITIES
STADIUMS • LANDSCAPERS
CONTRACTORS • MOBILE HOMES
OIL EXPLORATION • MILITARY UNITS
STAGING COMPANIES • EVENT COMPANIES
WELL WATER DRILLERS • STRUCTURAL MOVERS
DRILLING CONTRACTORS • CONSTRUCTION COMPANIES
DISASTER RELIEF EFFORTS • MODULAR OFFICE TRAILERS
ROAD CONSTRUCTION COMPANIES • ARBORISTS & TREE CARE SPECIALISTS**

...ANYWHERE ACCESS OR GROUND PROTECTION IS REQUIRED

DURADECK MATS OFFER SUPERIOR BENEFITS:

- Protects valuable turf during landscaping projects
- Creates an instant roadway over virtually any type of terrain - mud, sand, marshy, uneven or soft terrain
- Superior alternative to plywood and fiberglass - will not warp, rot, crack or delaminate
- Save time & labor getting vehicles and equipment traversed over difficult terrain
- Avoid potential injuries to workers incurred while dislodging vehicles & equipment from mud
- Protects vehicles & equipment from excessive wear and damage due to operating on unstable ground conditions
- Supports weights up to 80 tons
- Can be used hundreds of times
- Available for Sale or Rental
- Recycled Content Exceeds 90%

PRODUCTS




DuraDeck mats are manufactured to the highest standard – using super-strong, high-density polyethylene plastic (HDPE). Each panel is constructed from a solid sheet of molded material, providing greater strength and shear resistance than layered, hollow, or laminated systems. There are no weak spots to break, chip, or separate. DuraDeck mats are chemical- and weather-resistant and contain a UV additive to prevent damage and deterioration from exposure to the sun.

Each DuraDeck panel has a unique integrated tread pattern molded onto both sides, providing traction and stability for nearly any type of equipment, cranes, vehicles, and pedestrians. Place mats over marshy terrain, mud, sand, and other soft surfaces for access, traction, and ground protection.

DuraDeck can handle loads up to 80 tons, depending on the subsurface quality and consistency. For most grass lawns and athletic fields you can comfortably move tractor trailers, cranes, forklifts, staging, generators, and other pneumatic-wheeled equipment of up to 80 tons. For muddy and/or flooded areas, sections should be linked with DuraLink™ metal connectors.

DuraDeck offers several connection options, depending on the type of equipment, loads, and application involved. Each panel has pre-molded connection holes that allow sections to be connected side-by-side or at 90-degree angles to one another. Create temporary roadways, portable work pads, and compound flooring easily with DuraDeck.

DD1 DOUBLE-SIDED RUGGED-TRACTION SURFACE



DD2 is suitable for applications where pedestrians can be found, yet where a rugged tread design is or may at one point be desired. Each DD2 consists of a pedestrian-friendly, non-slip tread design on one side and our standard rugged-traction design on the other. Sections are reversible and can be used with either side face up. When facing up, the pedestrian-friendly surface still offers traction for vehicles and equipment, while the rugged down-facing side provides additional mat traction to the ground, preventing mat slippage or "spin out."

Use DD2 for parking areas, construction site walkways, concerts, and other uses where people are expected to walk on the DuraDeck regularly.

The DD2 pedestrian-friendly surface is also perfect for protection of concrete, asphalt, stone or aggregate surfaces – where the rugged pattern may be too aggressive. The pedestrian-friendly design may be placed face down on such surfaces to provide protection.

Standard DD2 mats are 4ft x 8ft long. Sections are ½" thick at the core, not including tread pattern height. DD2 contains 4 connection holes, one at each corner, and 4 additional connection holes [2 each at the center of the 8ft side]. These allow panels to be connected in either direction and to be rotated at 90-degree angles as required. DD2 mats are also available in 2ft x 8ft sizes.

Use our DuraLink connectors with DD2 panels to create contiguous and connected runs of material for roadways or work pads. DD2 can be stored on your own pallets or on our specialized metal pallets.



DuraPad™ is the lightest and most durable outrigger pad on the market! DuraPad Outrigger Pads were born of our experience using inferior competing pads in the field. Unlike other designs which suffer from exposure decay and messy handling, our outrigger pads are manufactured to aerial device manufacturers' standards which make DuraPads the most rugged and easiest to handle outrigger pad available – supporting loads up to 80,000 lbs, each.


DuraPad is manufactured from industrial-grade plastic composite that is impervious to exposure, which means the material will not break down from prolonged use, and will not absorb chemicals, oil, or moisture. DuraPad is designed to have some flex to conform to ground contours without breaking or cracking. Once they are off the ground and not being used, they will return to their original shape.

A multi-directional texture on the pad's surface eliminates the slippery surface when covered with snow, water or mud – thus providing an extra level of safety for workers, especially in dim or low light conditions.

DuraPad's handles are bolted in a position which keeps them clear of the outrigger foot and provides protection from wear. The wire rope handle is made of aircraft-grade steel to provide the lineman a durable and long-lasting solution for the problem of handles that either fray or break over time.



DD2 RUGGED TRACTION SURFACE & PEDESTRIAN-FRIENDLY SURFACE



MODEL	COLOR	SIZE	WEIGHT	RECOMMENDED FOR WEIGHTS
DD2-B	Black	4ft x 8ft	86 lbs/39 kg	19+ Ton
DD2-W	White	4ft x 8ft	86 lbs/39 kg	19+ Ton
DD2-B	Black	2ft x 8ft	43 lbs/ 19.5 kg	+8 Ton
DD2-W	White	2ft x 8ft	43 lbs/ 19.5 kg	+8 Ton

* DD3 model - Smooth side bottom is available upon request. Please contact us.

DURAPAD™ OUTRIGGER PADS



MODEL	THICKNESS	COLOR	SIZE*	WEIGHT
DD-RP	1"	Black & Safety Yellow	18"x18"	12 lbs
DD-RP	1"	Black & Safety Yellow	22"x22"	15 lbs
DD-RP	1"	Black & Safety Yellow	24"x24"	20 lbs
DD-RP	2"	Black & Safety Yellow	24"x24"	40 lbs
DD-RP	2"	Black & Safety Yellow	30"x30"	63 lbs
DD-RP	2"	Black & Safety Yellow	36"x36"	90 lbs



DURADECK FEATURES

DURABLE PLASTIC CONSTRUCTION



Each 86-pound DuraDeck sheet is molded using a specially formulated high-density polyethylene (HDPE) that makes the product extraordinarily strong, chemical- and weather-resistant, and able to withstand the rigors of industrial use. UV inhibitors are added – allowing DuraDeck to be used indoors and outdoors without the risk of fading or degradation. Sections are rigid - yet have some flex - allowing sections to withstand heavy moving weights without cracking or breaking.

CONVENIENT SIZE

DuraDeck mats are 4ft long x 8ft wide and are 1/2" thick at the center, with added tread patterns for greater traction and slip resistance. Up to 500 sheets can be transported on a standard tractor trailer and sections will fit inside the bay of most pick-up trucks. Pallets of DuraDeck can be double and triple stacked as needed.

A single 8-foot-wide section can accommodate pickup trucks, backhoes, ditch diggers, and other smaller vehicles. By positioning two 4ft x 8ft sections side-by-side, a 16-foot wide road, suitable for heavy truck traffic, can be created. Of course, sections can be added as needed to form 2- way roadways (3 sections = 24 ft) or large work and activity pads of unlimited size.

HANDLES HEAVY WEIGHTS

Depending on the ground surface and the density of the sub-surface, DuraDeck can be used to provide access for vehicles and equipment weighing up to 80 tons.

OUTPERFORMS WOOD AND OTHER SYSTEMS

Unlike plywood, DuraDeck will not warp, rot, crack, or delaminate, and there are no unsafe chemicals, such as arsenic, which exists in some treated plywood. Our panels meet all local requirements limiting the use of arsenic-treated plywood on construction sites and for roadway and access use. By using DuraDeck panels in place of wood, you are not only saving money, you are also helping to prevent contamination to the environment and your job site.

MADE OF RECYCLED PLASTIC

All DuraDeck products are manufactured using primarily recycled plastic material and as such do their part in helping the environment. DuraDeck mats qualify for preference under Federal, Provincial, and Local Government purchasing guidelines – offering preference to products with recycled content – as their recycled content exceeds 90%.

CONVENIENT CONNECTION SYSTEM



Each mat has connection holes at each corner and in the middle of the 8ft side, allowing mats to be connected side-by-side or at 90-degree angles to each other. DuraDeck sheets may be connected using 2-way or 4-way metal connectors. Our DuraLink metal connectors are capable of handling heavy vehicle traffic, as well as the significant torque from forklift turns and quick stops. Of course, DuraDeck may be used without any connectors on most temporary projects and may be placed adjacent to one another for quick installation.

AVAILABLE IN DIFFERENT COLORS

Depending on the application, DuraDeck may be ordered in both black or white. For grass protection in warm weather environments, white mats will prevent the browning and overheating of the grass below.

COMPARE DURADECK TO PLYWOOD



	DURADECK	PLYWOOD
Absorbs water	NO	YES
Safety hazards (splinters, loose nails...)	NO	YES
Can rot or be eaten by termites	NO	YES
Warps when wet	NO	YES
Contains arsenic	NO	POSSIBLE
Contains recycled content	YES	NO
Solid and uniform construction	YES	NO
Treaded traction surface	YES	NO
Integrated connection system	YES	NO
Gets heavier/loses strength when wet	NO	YES

DuraDeck is clearly the preferred choice over plywood and will save you money and headache over the long term.

DURADECK ACCESSORIES



DURALINK™ METAL LINKS

Our DuraDeck metal links are formed using 3/4" x 1/4" flat steel and are available in 2- and 4-way versions to connect either 2 mats together end-to-end or 4 mats together at an intersection. Large continuous roadways can be created easily for work pad extensions or turning areas can be added of any size. Use DuraLink for heavy-duty loads and for long-term projects on uneven or softer ground surfaces.

DURAHOOK™ DRAG HOOKS

DuraHook helps speed installation times! Insert the DuraHook into one of the connector holes and drag the mats into position.

METAL DURAPALLETS™

We offer extra-large metal pallets for easy transport and storage of DuraDeck mats. Dura-Pallet can hold up to 30 mats.



SALES & RENTALS

We always recommend purchasing DuraDeck panels as mats are nearly indestructible and last for many years. For one-time projects that are limited in duration and scope, we offer rentals at reasonable weekly and monthly rates. We arrange for shipping to and from your work site and can even supervise and provide labor for the installation and removal of sections.

We maintain a large stock of DuraDeck panels and offer rentals of mats for nearly any access application. Whether you require an instant portable roadway for vehicle access at an event or a long term roadway for a construction site, Little Guy Rentals is ready to assist.

We offer turnkey installations, including all transportation, labor, and supervisory services or can provide you with mats that you install on your own. From simple narrow roadways to multiple lane roadways and extended work pads our DuraDeck system is available for both long and short term rentals on short notice.

For service requests call Little Guy Rentals 24 hours a day at 877.762.8489 or email us at darrel@littleguyrentals.com.

www.littleguyrentals.com darrel@littleguyrentals.com

TOLL FREE 877 762 8489 DIRECT 780 980 1166 FAX 780 980 2244



Protects valuable surfaces



Create an instant portable roadway



Suitable for any environment